

REMOVABLE BASEPLATE SLIDER

ACCESSORIES

Revision: 21 January 2026 3:13 PM
Boplan reference: RB...



PRODUCT SPECIFICATIONS

APPLICATION			
Environment	For situations when a Barrier or Bollard needs to be removed regularly. Important remark: The slider has an orientation. The opening must be directed towards the traffic.*		
Features	Easy and fast removal and reinstallation of safety products without tools. Optional locking block to prevent unauthorized removal. Low-profile design for smooth drive-over. Recessed screws to prevent vehicle wheel damage		
MATERIAL			
	Zinc Coated Steel	Zinc Coated Steel	Stainless steel
Baseplate	Steel 37	Steel 37	Stainless steel 304
Coating	Electroplated + Lacquered	Electroplated	No Coating
Colour	Mat black	Natural colour	Natural colour
Compatibility	B0200R	TB & HP	TB & HP
REQUIREMENTS			
Concrete quality	minimum C25/30		
Concrete floor plate thickness	minimum 6 in		
Concrete slab dimension around posts	See specification sheet of the safety product to be installed.		
Operational temperature	-22°F up to +104°F		
Water and humidity	Zinc coated: Indoor and outdoor use in most environments. Stainless steel: outdoor use or frequent exposure to water and humidity.		


*Use of the locking block does not remove this requirement.

**If the optional locking block is used, tools are needed.




FEATURES AND FUNCTIONALITY - REMOVABLE BASEPLATE SLIDER




EXAMPLE SETUP - Slider 112/250





EXAMPLE SETUP - Slider 200



REFERENCE LIST - REMOVABLE BASEPLATE SLIDER

REMOVABLE BASEPLATE 112		
Reference	PA014-0265-0265 - Slider	RB0112-0265-0265S - Slider
Material	Zinc coated steel	Stainless steel
Compatibility	HP PLUS 3R, HP PLUS 2R TB 260, TB 260 PLUS, TB 260 PLUS FENCE (Mid posts only *) TB 400, TB 400 PLUS, TB 400 PLUS FENCE (Mid Posts only *)	
Fixation Removable Baseplate	 Wedge anchor Countersunk - Stainless steel Ø12mm (M8) x 85mm	
Drawing	 	 


*Use Slider 250 for End Posts

REMOVABLE BASEPLATE 250		
Reference	PA0140-0320-0360 - Slider	RB0250-0320-0360S - Slider
Material	Iron	Stainless steel
Compatibility	TB 260, TB 260 PLUS, TB 260 PLUS FENCE (End posts only *) TB 400, TB 400 PLUS, TB 400 PLUS FENCE (End Posts only *)	
Fixation Removable Baseplate	 Wedge anchor Countersunk - Stainless steel Ø12mm (M8) x 85mm	
Drawing	 	 

*Use Slider 112 for Mid Posts

REFERENCE LIST - REMOVABLE BASEPLATE SLIDER

REMOVABLE BASEPLATE 200

Reference	RB0200-0305-0001BL - Slider & Locking Block	
Material	Zinc coated steel	
Compatibility	BO200R (Impact resistance guaranteed)	
Fixation Removable Baseplate	 Concrete screw - Zinc coated $\varnothing 17\text{mm}$ x 130mm	
Fixation Locking Block	 Countersunk screw- Zinc coated - M10 x 20mm	
Drawing		
Reference	RB0200-0305-0002BL - Slider	RB0200-0305-0003BL - Locking Block
Material	Zinc coated steel	Zinc coated steel
Compatibility	BO200R (Impact resistance NOT guaranteed)	Locking Block for RB0200-0305-0002BL
Fixation	 Concrete screw - Zinc coated $\varnothing 17\text{mm}$ x 130mm	 Countersunk screw- Zinc coated - M10 x 20mm
Drawing	