



**READY  
FOR  
IMPACT**



# **THE STRONGEST POLYMER BOLLARD IN THE WORLD**

**PROTECTIVE BOLLARD THAT SETS NEW  
STANDARDS IN SAFETY, STRENGTH  
AND PERFORMANCE**

# THE STRONGEST POLYMER BOLLARD IN THE WORLD



FLEX IMPACT® BOLLARDS PUSH BOUNDARIES IN TERMS OF SAFETY, STRENGTH, AND PERFORMANCE

The range of Boplan® bollards is designed to meet a variety of needs. Each bollard in this series has a specific strength and impact resistance. These range from extremely heavy impacts of 24.1 kJ to lighter impacts of 2.5 kJ. This ensures an ideal safety solution for every situation. With a wide range of options, colors, and heights, the bollards are easy to adapt to specific environments and aesthetic preferences. The patented modular design offers unparalleled protection against collisions. The bollards are made from Extrilene®, a high-quality polymer capable of withstanding repeated impacts. The bollard flexes with each collision, but returns to its original shape once the vehicle has passed.



For temperatures down to -22°F



**BOPLAN®**  
**BOLLARDS**  
FIVE POWERFUL  
SAFETY SOLUTIONS



## THE REVOLUTIONARY BASE DEFENDER

The Base Defender protects the screws securing the round base plate to the floor. This durable elastomer cover makes it physically impossible to damage the screws by driving over the base plate. The Base Defender is wider than the bollard. This creates a free space and prevents fingers from crushing.

For a more finished look, you can cover the Base Defender with an optional Base Shield. It provides additional protection against ground-level impacts and keeps dirt and dust away.



**BO125L**  
>>> **2.5 kJ**


**BO170B**  
>>> **7.5 kJ**  
\* TÜV NORD Certified

**BO200R**  
>>> **10.2 kJ**  
\* TÜV NORD Certified

**BO200F**  
>>> **16 kJ**  
\* TÜV NORD Certified

**BO250T**  
>>> **24.1 kJ**





## Why is the Boplan® bollard so strong?

This new series of bollards is the result of years of research, development, extensive testing, and practical experience. A unique combination of three features ensures the bollards' exceptional strength:



**1. Extrilene®:** this polymer was specifically developed for enhanced impact resistance by Boplan®. A molecularly aligned material structure ensures exceptional strength while maintaining maximum flexibility.



**2. The different tubes** ensure optimal impact absorption through deformation and friction.

**3. The optimized base plate** covers a larger surface area and offers increased flexibility.

✓ PATENTED




## MAXIMUM VISIBILITY

All bollards are available in various distinctive colors and patterns, making them highly visible in any situation.

- Yellow or black (standard)
- Grey or red (optional, BO200R only)
- Choose 1 or 2 yellow stripes (optional, BO125L: 1 stripe)
- Choose 1 or 2 black stripes (optional, BO125L: 1 stripe)
- Choose 1 or 2 white stripes (optional, BO125L: 1 stripe)



## FASTENERS

- Concrete screws  STANDARD
- Expansion screws  OPTIONAL
- Asphalt screws  OPTIONAL

## APPLICATIONS AND TYPICAL ENVIRONMENTS

For the protection of gates, entrances, corners, and machines in:

- Car parks
- Commercial properties
- Distribution centers
- Industrial properties
- Logistics, supply chain, and material handling
- Petrochemical and chemical plants
- Transport & logistics centers
- Warehouses and storage facilities

## ADVANTAGES

- Quick and easy installation
- Resistance to chemicals and UV radiation
- Corrosion resistant
- Minimal maintenance required
- No paint or coating required
- Protected base plate fasteners
- Safe for fingers
- Impact resistant up to 24.1 kJ
- Tested according to the latest impact standard UNI/TS 11886-1
- 100% sustainable: easy to recycle
- A customized solution for every scenario
- Choice of options, colors, and heights
- Extrilene®: high-quality polymer
- Patented technology





**BO BELT**  
10.2 kJ




**BOLLARD WITH INTEGRATED BELT BARRIER**

**BO BELT** is a FLEX IMPACT® BO200R bollard with an integrated, easy-to-use belt barrier system. BO BELT not only provides effective protection against collisions, but also allows you to quickly close off areas using a 5-meter integrated belt. This prevents pedestrians from walking into the path of moving vehicles, stepping into uncovered openings, or entering areas under maintenance.

**Key features**

- Optimized base plate with crown structure
- Includes a Base Defender to protect screws and base plate
- Compatible with other Boplan safety products




**BO SMART**  
3 kJ



**THE SMART BOLLARD THAT MONITORS CRITICAL AREAS 24/7**

The FLEX IMPACT® **BO SMART** bollard monitors and protects your most vulnerable infrastructure 24/7. After each collision, the Hub sends a real-time notification. Connect up to 50 smart bollards to one Hub via wireless connection. BO SMART helps you gather valuable insights about protected areas, collision history, frequency, and impact. This prompts inspections and helps determine whether your protection needs replacement or upgrading.




**BO LED**  
3 kJ



**BOLLARD FOR POORLY LIT AREAS AND LOADING DOCKS**

The FLEX IMPACT® **BO LED** bollard features 5 switch-operated LED lights. BO LED is ideal for areas where goods must be loaded or unloaded in low-light conditions. You choose the direction of the light when installing the bollard. Perfect for illuminating the inside of a trailer during loading and unloading at a loading dock.



**SIGNMARK 200**

**THE RIGHT MESSAGE IN THE RIGHT PLACE**

With the **SIGNMARK 200**, you can easily communicate information where it is most relevant and visible in the workplace. SIGNMARK 200 fits any Ø 8 inch bollard tube or height restrictor to display messages such as one-way traffic, speed limits, mandatory safety provisions, special warnings, etc. The SIGNMARK 200 fits perfectly and can be replaced with a quick click.

**Advantages**

- Flexibility: fits a vertical tube at any height
- Easy to install: click, screw, or glue the black cover panel onto the holder
- Attractive
- Customizable: compatible with all standard stickers (8 inch diameter)




# BOLLARD FOR CHARGING STATIONS



BOLLARD DESIGNED TO PROTECT CHARGING STATIONS FROM COLLISIONS

## BO125L EV

- Diameter: 5 in
- Secured to concrete base with 2 screws



- No visible fasteners: concealed by black collar (standard)

Light impact: < 0.5 kJ

## BO145L EV

- Diameter: 6 in
- No visible fasteners: mounted in concrete with a rubber collar



- The hole for the bollard is created when the concrete is poured (precast or on-site) or drilled afterward (6 in diameter; 10 in deep). A collar at ground level seals the gap between the base and the bollard.

Impact: < 2 kJ




## WHAT ABOUT LIABILITY?

Many countries have specific regulations and safety standards for charging infrastructure. If charging stations are not properly secured, this can entail legal liability in the event of an accident. Therefore, it is essential to take preventive measures to secure charging stations and comply with regulations. This reduces legal risks and demonstrates a commitment to safety.

## FORGET STEEL


The polymer bollards' flexibility enables them to absorb impacts, protecting the charging station. After a collision, they return to their original shape. A steel bollard, however, may be damaged and require replacement after just one collision. Furthermore, a steel bollard can cause additional damage. Not only to the ground to which it is secured but also to the vehicle itself. To avoid issues with vehicle owners, choose a polymer bollard.



## MAXIMUM VISIBILITY

BO125L EV and BO145L EV bollards are available in several distinctive colors, making them highly visible in any situation.

- Available colors: yellow, black, and white
- To make the bollards stand out even more, a reflective yellow, white, or black stripe can be added.



## OPTIONAL ACCESSORIES



**Cable hook**  
Users can hang up their charging cable on a hook, preventing the cable from getting dirty or damp.



**SignMark 150**  
BO125L EV and BO145L EV can be equipped with a SignMark warning sign with a 6 inch diameter.

## ADVANTAGES

- Prevents damage to the vehicle
- UV resistance
- Long lifespan
- Finished look: concealed fasteners
- Maximum visibility
- Easy installation
- Various options and versions
- Low maintenance
- Returns to original shape after a collision

## **BOPLAN HEADQUARTERS**

Muizelstraat 12  
8560 Moorsele, Belgium  
+32 56 20 64 20  
info@boplan.com

## **BOPLAN USA**

4350 W. White Road, St 300  
Flowery Branch, GA 30542  
+1 678-890-5906  
info@boplan.us

## **BOPLAN UK**

Science Centre, Wolverhampton Science Park  
Glaisher Drive, Wolverhampton WV10 9RU  
+44 1902 82 4280  
info@boplan.co.uk

## **BOPLAN DEUTSCHLAND**

IHP-Nord · Babenhäuser Str. 50  
63762 Großostheim  
+49 6026 999 51 90  
info@boplan.de

## **BOPLAN FRANCE**

617, Avenue de Bayonne  
64210 Bidart  
+33 (0)5 35 45 75 35  
info@boplan.fr

## **BOPLAN ESPAÑA**

Pl Ramon Berenguer el Gran, 1  
08002 Barcelona  
+34 936 81 66 88  
info@boplan.es

## **BOPLAN NEDERLAND**

Toermalijnring 100  
3316 LC Dordrecht  
+31 85 13 07 500  
info@boplan.nl

## **BOPLAN POLSKA**

Ul. Graniczna 34B / U16  
41-300 Dąbrowa Górnicza  
+48 728-878-670  
info@boplan.pl

## **BOPLAN ITALIA**

Via Privata Maria Teresa 7  
20123 Milano  
+32 56 20 64 20  
info@boplan.it

## **BOPLAN JAPAN**

4F Matsuoka II Building,  
1-2-11 Nijyooji Minami  
Nara City, Nara 630-8012  
+81 (0)742-93-8705  
info@boplan.co.jp

## **FOLLOW US**



## **BOPLAN.COM**

For more information about our products,  
services, and worldwide network

