



THE STRONGEST POLYMER BOLLARD IN THE WORLD

PROTECTIVE BOLLARD THAT SETS NEW STANDARDS IN SAFETY, STRENGTH AND PERFORMANCE

THE STRONGEST POLYMER **BOLLARD IN THE WORLD**



THE FLEX IMPACT[®] BOLLARD RANGE SETS **NEW STANDARDS IN SAFETY, STRENGTH** AND PERFORMANCE

The new Boplan® Bollard Range is a comprehensive selection of protective bollards, engineered to meet a wide range of needs. Each bollard in this series is designed with a specific strength and impact resistance to ensure there is a perfect solution for every requirement, ranging from extremely heavy impacts up to 24,1 kJ (kilojoules) to light 2,5 kJ impacts. Additionally, you benefit from a broad range of options, colours, and heights that allow for customisation to suit specific environments and aesthetic preferences.

The patented modular build-up provides unprecedented impact protection. The bollards are made from Extrilene®, a special high-performance polymer optimised to withstand multiple impacts. The deformation that occurs after each crash disappears as the vehicle rebounds.

The Boplan[®] Bollard Range redefines impact protection and offers a tailored solution for every scenario.



B0125

))) 2,5 kJ




BO170B

))) 7,5 kJ



BO200R))) 10,2 kJ



ICEFLEX®



BO250T

Also available for use in freezing

temperatures down to -30°C

BO200F)**)) 16 kJ** TÜVNORD



))) 24,1 kJ

A REVOLUTIONARY BASE DEFENDER

The screws that anchor the round base plate to the floor are protected by the Base Defender. This sustainable rubber cover makes it physically impossible to drive over the base plate and damage the screws.

For a more finished look, cover the Base Defender with a Base Shield (optional). This provides additional protection against ground-level impacts and hygienic shielding from dirt and dust. The Base Defender is wider than the bollard, leaving a clear space to keep your fingers safe.





What makes Boplan[®] bollards so strong?

The new bollard range is the result of years of research & development, relentless testing and experience in the field. A unique combination of three features contribute to the exceptional strength of our bollards:

1 Extrilene[®]: the polymer technology

specially developed by Boplan® for high performance and increased impact resistance. The aligned molecular structure provides unrivalled strength while maintaining maximum flexibility.

2. The inner construction with multiple tubes

which greatly strengthens the entire structure, because the impact of a collision is distributed over a larger surface area.

An optimised base plate that enhances the impact

resistance of the bollard.

(VPATENTED)



APPLICATIONS AND TYPICAL ENVIRONMENTS

For the protection of gates, access ways, corners and machines in:

- Car park buildings
- Commercial real estate
- Distribution centres
- Industrial real estate
- Logistics, supply chain and material handling industries
- (Petro-)chemical plants
- Transport and logistics centres
- Warehouses and storage facilities
- and more

ADVANTAGES

Easy installation

- Chemical and UV resistance
- Corrosion resistance
- No maintenance
- No painting or coating
- Protected base plate mounts
- Finger safe
- Impact resistance up to 24,1 kJ





MAXIMUM VISIBILITY

All bollards come in a variety of distinctive colours and patterns, making them highly visible in any situation.

- yellow or black (standard)
- grey or red (optional, only for BO200R)
- with 1 or 2 yellow stripes (optional, BO125L: 1 stripe)
- with 1 or 2 black stripes (optional, BO125L: 1 stripe)
- with 1 or 2 white stripes (optional, BO125L: 1 stripe)





FIXATIONS

- Concrete screws Expansion anchors Asphalt fixations
- **TÜV** certified Tested according to PAS 13

- Extrilene[®] high performance polymer
- Patented technology



100% sustainable: easy to recycle

A tailored solution for every scenario

Choice of options, colours and heights



AVAILABLE IN DIFFERENT HEIGHTS

Other heights on request



ACCESSORIES



Available for

BO200R and BO200F

Boplan[®] SignMark 200

Convey the right message in the right place with the optional SignMark 200: one-way traffic, speed limits, mandatory safety equipment, special warnings, etc. The SignMark 200 is designed for a perfect fit and can easily be replaced with a single click.



Base Shield

The Base Shield protects the Base Defender and the base plate against ground-level impacts and provides hygienic protection from dirt and dust. And on top of that... it looks great.

Available for BO200R and BO200F. On request for the other bollards.



Rotor Sleeve When a vehicle collides with

a bollard, the Rotor Sleeve deflects the impact by rotating. This means that the bollard does not absorb the full force of the collision, reducing damage to your vehicle. This is beneficial in areas with an increased risk of collision, such as high traffic areas.



BO Belt (retractable)

The BO BELT is a BO200R bollard with an integrated belt barrier. This belt allows you to quickly demarcate an area such as a doorway, gate or loading dock opening. It prevents pedestrians from walking into the path of moving vehicles, stepping into an uncovered opening, or entering a maintenance area. It is available in two lengths of either 5 m or 10 m.



When you choose Boplan, you can be sure that you are not only investing in safety, but also contributing to a greener future, as we design our products to be durable, repairable and recyclable.

MAKE

We recycle 89% of our post-industrial waste, which means a yearly reduction of 344 tonnes of CO2e compared to using virgin material.

MAINTAIN

As long as the design parameters are respected, the life expectancy of our bollards easily exceeds the time you need them.

REPAIR

The modular design of our bollard range allows you to replace only the damaged parts and reuse the others.

REUSE


Our bollards can be used again and again because they can be easily disassembled and reassembled.

TAKE-BACK We gladly evaluate take-back options on request.

RECYCLE

Our bollards can be disassembled without special equipment, and 100% of the product weight can be reused in existing recycling programs.

Available for BO200R and BO200F









For more



BOPLAN HEADQUARTERS

Muizelstraat 12 8560 Moorsele, Belgium +32 56 20 64 20 info@boplan.com

BOPLAN UK

Science Centre, Wolverhampton Science Park Glaisher Drive, Wolverhampton WV10 9RU +44 1902 82 4280 info@boplan.co.uk

BOPLAN USA

4350 W. White Road, St 300 Flowery Branch, GA 30524 +1 678-890-5906 info@boplan.us

BOPLAN DEUTSCHLAND

IHP-Nord · Babenhäuser Str. 50 63762 Großostheim +49 6026 999 51 90 info@boplan.de

BOPLAN FRANCE

617, Avenue de Bayonne 64210 Bidart +33 (0)5 35 45 75 35 info@boplan.fr

BOPLAN ESPAÑA

Pl Ramon Berenguer el Gran, 1 08002 Barcelona +34 936 81 66 88 info@boplan.es

BOPLAN NEDERLAND

Toermalijnring 100 3316 LC Dordrecht +31 85 13 07 500 info@boplan.nl

BOPLAN POLSKA

Ul. Graniczna 34B / U16 41-300 Dąbrowa Górnicza +48 728-878-670 info@boplan.pl

BOPLAN ITALIA

Via Privata Maria Teresa 7 20123 Milano +32 56 20 64 20 info@boplan.it



FOLLOW US

BOPLAN.COM

For more information about our products, services and worldwide dealer network

