

HD LIGHT HANDRAILS

Revision: 30 May 2024 5:03 PM
Boplan reference: HD0900...








PRODUCT SPECIFICATIONS

APPLICATION			
Protection	Handrail system for the physical demarcation of pedestrian zones. HD Light handrails are not intended for impact with fork lift trucks or other motorized vehicles.		
MATERIAL			
Posts and rails	Extrilene® - UV resistant - Fire class E® - Non conductive - Impervious to most chemicals**		
Caps	Sustainable elastomer		
STANDARD COLOURS			
End post / Mid post	Standard: Black RAL 9005 Alternative: Yellow RAL 1003		
Handrails	Standard: Yellow RAL 1003 Alternative: Black/Photolum; Black/Red; Black/Yellow; Yellow/black; Yellow/Photolum		
BASEPLATES			
	Steel	Zinc Coated Steel	Stainless steel
Material	Steel 37	Steel 37	Stainless steel 304
Coating	Lacquered	Electroplated + Laquered	No lacquer / No coating
Colour	High gloss black	Mat black	Natural colour

*Classification according to EN 13501-1:2007 +A1:2009 - Fire classification of construction products and building elements.

**Ask your local sales office for resistance to specific chemicals.

FIXATIONS			
		ZC (Zinc coated)	SS (Stainless steel)
STANDARD	Wedge anchor	 M12 x 120mm	M12 x 120mm
	Anchor rod (Chemical)	 M12 x 120mm + Chemical resin	M12 x 120mm + Chemical resin
ALTERNATIVES	Concrete screw	 Ø12mm x 100mm	Not available
	Asphalt anchor	 Bolt M10 x 40mm + Screw Ø16mm	Not available
	Spit anchor	 Bolt M12 x 100mm + Plug Ø20mm	Not available



FEATURES AND FUNCTIONALITY - HD LIGHT

SIZE	
Height end posts	1150 mm
Height mid post	1150 mm
Profile section handrail	50 mm x 70 mm (6 mm wall thickness)
Profile section posts	88 mm x 88 mm (7.5 mm wall thickness)
Standard rail length	Standard length: 1500 mm (center - center dimension)
Baseplate	100 mm x 150 mm (5 mm thick)

REQUIREMENTS	
Concrete quality	minimum C25/30
Concrete floor plate thickness (mm)	minimum 150 mm
Concrete slab dimension around posts (mm)	400 (h) x 400 (w) x 300 (d)
Operational temperature	-10°C up to +40°C
Water and humidity	Steel (standard): dry indoor use only. Zinc coated: outdoor use in most environments. Stainless Steel: outdoor use or frequent exposure to water and humidity.

COMPLIANCE

The HD LIGHT handrail complies with safety standard EN14122-3 chapter 7 and 8 related to the strength of the rails and posts. Tested and approved by **TUV Nord**.



CERTIFICATE

FOR DETERMINING THE PRODUCT TYPE

07/203/VKBÜZ/6121248350/23/KSPH1(00)

According to the certification program 0711-ZE-KSP-VA-2023 of TÜV NORD Systems GmbH & Co. KG for Plastic Products, this certificate applies to the product:

Handrail HP Plus 28/28

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza

Handrail HD Light / Mezza



Handrail HD Light / Mezza

Handrail HD Light / Mezza





Handrail HD Light / Mezza



Handrail HD Light / Mezza

Handrail HD Light / Mezza



REFERENCE LIST - HD LIGHT

POSTS			
	BLACK	MULTI Colour 	
End post - 2R End post - 2R - ZC End post - 2R - SS	HD0900-0001-EPBL HD0900-0001-EPBLZ HD0900-0001-EPBLS	HD0900-0001-EPMC HD0900-0001-EPMCZ HD0900-0001-EPMCS	
Mid post - 2R Mid post - 2R - ZC Mid post - 2R - SS	HD0900-0001-MPBL HD0900-0001-MPBLZ HD0900-0001-MPBLS	HD0900-0001-MPMC HD0900-0001-MPMCZ HD0900-0001-MPMCS	
Blank post - 2R Blank post - 2R - ZC Blank post - 2R - SS	HD0900-0001-BPBL HD0900-0001-BPBLZ HD0900-0001-BPBLS	HD0900-0001-BPMC HD0900-0001-BPMCZ HD0900-0001-BPMCS	

POSTS - 90° TURNED BASEPLATE		
	BLACK	
End post - 2R End post - 2R - ZC End post - 2R - SS	HD0900-0001-EP90BL HD0900-0001-EP90BLZ HD0900-0001-EP90BLS	
Mid post - 2R Mid post - 2R - ZC Mid post - 2R - SS	HD0900-0001-MP90BL HD0900-0001-MP90BLZ HD0900-0001-MP90BLS	

RAIL SETS (2R)						
Center - Center length	BLACK / PHOTOLUM	BLACK / RED	BLACK / YELLOW	YELLOW / BLACK	YELLOW	YELLOW / PHOTOLUM
500 mm	HD0900-0500-0001BP	HD0900-0500-0001BR	HD0900-0500-0001BY	HD0900-0500-0001YB	HD0900-0500-0001YE	HD0900-0500-0001YP
750 mm	HD0900-0750-0001BP	HD0900-0750-0001BR	HD0900-0750-0001BY	HD0900-0750-0001YB	HD0900-0750-0001YE	HD0900-0750-0001YP
1000 mm	HD0900-1000-0001BP	HD0900-1000-0001BR	HD0900-1000-0001BY	HD0900-1000-0001YB	HD0900-1000-0001YE	HD0900-1000-0001YP
1250 mm	HD0900-1250-0001BP	HD0900-1250-0001BR	HD0900-1250-0001BY	HD0900-1250-0001YB	HD0900-1250-0001YE	HD0900-1250-0001YP
1500 mm	HD0900-1500-0001BP	HD0900-1500-0001BR	HD0900-1500-0001BY	HD0900-1500-0001YB	HD0900-1500-0001YE	HD0900-1500-0001YP
1750 mm	HD0900-1750-0001BP	HD0900-1750-0001BR	HD0900-1750-0001BY	HD0900-1750-0001YB	HD0900-1750-0001YE	HD0900-1750-0001YP
2000 mm	HD0900-2000-0001BP	HD0900-2000-0001BR	HD0900-2000-0001BY	HD0900-2000-0001YB	HD0900-2000-0001YE	HD0900-2000-0001YP
250-2000 mm	HD0901-2000-0001BP	HD0901-2000-0001BR	HD0901-2000-0001BY	HD0901-2000-0001YB	HD0901-2000-0001YE	HD0901-2000-0001YP
CORNER RAIL SETS (2R)						
Corner rail set 90°	HD0900-0200-C90BP	HD0900-0200-C90BR	HD0900-0200-C90BY	HD0900-0200-C90YB	HD0900-0200-C90YE	HD0900-0200-C90YP
Corner rail set 135°	HD0900-0200-C45BP	HD0900-0200-C45BR	HD0900-0200-C45BY	HD0900-0200-C45YB	HD0900-0200-C45YE	HD0900-0200-C45YP

