

# SAFETY GUARD

## MOVABLE BARRIERS

Revision: 27 November 2024 2:41 PM  
Boplan reference: ST0889...



### PRODUCT SPECIFICATIONS

APPLICATION	
Environment	Engineered for industrial environments, it provides clear visibility and 360° signaling. Easily transportable and weatherproof, it is designed for durability and adaptability. Not intended for vehicle impact.
Features	<p>Stands at a prominent 5ft7 for clear visibility.</p> <p>Safety yellow color ensures maximum visibility.</p> <p>Signaling: 360° sign board.</p> <p>Movable barrier: easily handled and repositioned on industrial sites.</p> <p>Can be weighted with up to 90L of water or equivalent amount of sand for extra stability.</p> <p>Durable, weatherproof design for various conditions.</p> <p>Special cutouts for forklifts and pallet trucks to facilitate handling.</p> <p>Rounded shapes with no protruding parts reduce injury risk.</p>
ACCESSORIES	
Ratchet strap	Strap with two brackets designed for easy attachment of additional items (e.g., sign board).
MATERIAL	
Safety Guard	Rexilene® - UV resistant - Fire class E* - Non conductive - Impervious to most chemicals**
Sign board	Polypropylene
STANDARD COLORS	
Safety Guard	Yellow RAL 1003

\*Classification according to EN 13501-1:2007 +A1:2009 - Fire classification of construction products and building elements.

\*\*Ask your local sales office for resistance to specific chemicals.






## FEATURES AND FUNCTIONALITY - SAFETY GUARD

SIZE	
Height	69 in
Max section	Ø35 in
Weight	50.7 lbs

REQUIREMENTS	
Operational temperature	14°F up to +104°F
ACCESSORIES	
Ratchet strap with bracket	Strap, 2 brackets, and fixations, allowing easy attachment of signs.
Sign Board Recommendations	Dimension: 20x20 in or Ø24 in

## REFERENCE LIST - SAFETY GUARD

SAFETY GUARD	
ST0889-1750-0001YE	Safety Guard - H 69 in - Ø35 in - YE
 <p>Integrated lifting eye</p> <p>Caution sign</p> <p>Double sided Sign board</p> <p>Guiding arrows</p> <p>Hand grip space</p> <p>Water inlet*</p> <p>Lifting area</p> <p>* Water outlet located on the opposite side</p>	

ACCESSORIES	
ST0099-2500-0050BL	Strap Assembly - 98.4x2in - 2xBracket - Incl. fixations - BL [BOARD NOT INCLUDED]
	

## 2 <<< SPECSHEET

**Boplan USA INC** | 4350 W White Road, Suite 300, Flowery Branch, GA | +1 678 890 5906 | [sales@boplan.us](mailto:sales@boplan.us) | [www.boplan.com](http://www.boplan.com)

DISCLAIMER: ALL PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.  
© Boplan, the Boplan logo, Flex Impact, Extrilene, Ice Flex, Teddy Pro and RackBull are trademarks of Boplan bv. All other trademarks are property of their respective owners.

**TECHNICAL DRAWINGS - SAFETY GUARD**

