



**READY
FOR
IMPACT**



GRILL BARRIER





**CRASH PROTECTION AGAINST
FALLING GOODS**

GRILL BARRIER

CRASH PROTECTION AGAINST FALLING GOODS



Poorly stacked goods and falling products can lead to serious accidents. Boplan's **GRILL BARRIER** is a safety solution that protects workers from both overhead hazards and collisions with vehicles. Made of flexible polymer, the GRILL BARRIER is extremely user-friendly and can be installed completely independently. Its ingenious modular design makes it easy to create numerous configurations. The GRILL BARRIER is available in 2 versions: TB 400 GRILL and TB 400 Double GRILL.




TB400 GRILL

The **TB 400 GRILL** with single tube protects people against the impact of forklifts and falling goods. Depending on the size of the (stacked) goods, one can opt for an arrangement with a centre distance between the rails of 275 mm or 550 mm (max. height: 3,075 mm).




»» 275
e. g. Arrangement 7 rails (H: 2,525 mm)




»» 550
e. g. Arrangement 4 rails (H: 2,525 mm)

TB400 DOUBLE GRILL

TB 400 DOUBLE GRILL is an extremely robust, double traffic barrier for collision protection against heavy vehicles and (falling) goods. The TB double-tube guardrail offers pedestrians increased safety in storage areas with a lot of forklift traffic. Depending on the size of the (stacked) goods, one can opt for an arrangement with a centre distance between the rails of 275 mm or 550 mm (max. height: 3,350 mm).



»» 275
e. g. Arrangement 7 rails (H: 2,800 mm)



»» 550
e. g. Arrangement 4 rails (H: 2,800 mm)

»» ALSO AVAILABLE HP GRILL

HP GRILL was designed to protect people against falling products in zones without forklift traffic. This shielding ensures a clear segregation between people and (stacked) goods. Depending on the size of the goods, one can opt for an arrangement with a centre distance between the rails of 275 mm or 550 mm (max. height: 2,800 mm).



»» 275
e. g. Arrangement 7 rails (H: 2,250 mm)

FEATURES:

- Protection against badly stacked or falling goods
- Crash protection for zones with forklift traffic
- Clear segregation of pedestrian zones and forklift traffic
- Active memory: returns to its original shape after impact

APPLICATIONS / TYPICAL ENVIRONMENTS:

- Distribution centres
- Inbound and outbound goods flows
- Warehouses and storage facilities
- Transport and logistics centres

BOPLAN HEADQUARTERS

Muizelstraat 12
8560 Moorsele, Belgium
+32 56 20 64 20
info@boplan.com

BOPLAN UK

Science Centre, Wolverhampton Science Park
Glaisher Drive, Wolverhampton WV10 9RU
+44 1902 82 4280
info@boplan.co.uk

BOPLAN USA

4350 W. White Road, St 300
Flowery Branch, GA 30524
+1 678-890-5906
info@boplan.us

BOPLAN DEUTSCHLAND

IHP-Nord · Babenhäuser Str. 50
63762 Großostheim
+49 6026 999 51 90
info@boplan.de

BOPLAN FRANCE

617, Avenue de Bayonne
64210 Bidart
+33 (0)5 35 45 75 35
info@boplan.fr

BOPLAN ESPAÑA

Pl Ramon Berenguer el Gran, 1
08002 Barcelona
+34 936 81 66 88
info@boplan.es

BOPLAN NEDERLAND

Toermalijnring 100
3316 LC Dordrecht
+31 85 13 07 500
info@boplan.nl

BOPLAN POLSKA

Ul. Graniczna 34B / U16
41-300 Dąbrowa Górnicza
+48 728-878-670
info@boplan.pl

BOPLAN ITALIA

Via Privata Maria Teresa 7
20123 Milano
+32 56 20 64 20
info@boplan.it



FOLLOW US



BOPLAN.COM

For more information about our products,
services and worldwide dealer network

