



RESTRICTING ACCESS
TO HAZARDOUS AREAS

SG SWING GATE



SWING GATE

The FLEX IMPACT® **SG SWING GATE** is a two-way safety gate. Gates and entrances to corridors and machine rooms are often left open. The SG SWING GATE makes this a thing of the past. This safety gate closes automatically so that access remains restricted at all times. The sturdy door is ergonomically designed and features a sign.

LOCK BLOCK Prevents the gate from swinging in a specific direction WHEEL SUPPORT Standard for gates wider than 1,500 mm In an open position



KEY FEATURES AND FUNCTIONS

- Robust, impact-resistant safety gate that swings open
- Close off aisles in areas with incoming and outgoing goods
- Clear demarcation of beginning and end of pedestrian areas: warning function
- Saline and corrosive environments (food industry, coastal areas, etc.)
- Close off access routes to machine rooms


- Suitable for outdoor use (optional SS 304 stainless steel components)
- Durable and capable of withstanding heavy use
- Ergonomic design
- Can be combined with safety barriers, handrails and bollards
- Large sign board
- Lock block and stop
- Wheel support for gates wider than 1,500 mm



4 POSSIBLE COMBINATIONS

The **SG SWING GATE** combines perfectly with FLEX IMPACT® safety barriers and handrails. Together, these safety elements ensure smooth and safe traffic between the different areas in your working environment.










SG SLIDING GATE



SAFETY GATE THAT OPENS AND CLOSES BY SLIDING

The FLEX IMPACT® **SG SLIDING GATE** is a safety gate that opens and closes by sliding. You can have the gate slide to the left or right. When the gate opens, it rolls across the floor on a sturdy wheel and its rails slide into the profiles of the adjoining guardrail. This safety gate is easy to install.





KEY FEATURES AND FUNCTIONS

- Sliding safety gate
- Close off aisles in areas with incoming and outgoing goods
- Clear demarcation of beginning and end of pedestrian areas
- Saline and corrosive environments (food industry, coastal areas, etc.)
- Close off access routes to machine rooms
- Durable and capable of withstanding heavy use
- Ergonomic design
- Can be combined with safety barriers and handrails



The SLIDING GATE is part of the impact-resistant and attractive FLEX IMPACT® series. A sliding safety gate is ideal for spaces with limited room for movement. Additionally, the SLIDING GATE combines perfectly with our safety barriers and handrails. Together, these safety products ensure that people can circulate safely.









SG DROP GATE



SAFETY DROP GATE THAT OPENS UPWARD

The FLEX IMPACT® **SG DROP GATE** is a safety gate that closes off access routes when there isn't enough space to use a traditional swing gate. This gate opens upward. Just like the other safety gates in this series, the SG DROP GATE is a convenient solution to cordon off walkways and areas.





KEY FEATURES AND FUNCTIONS

- Safety drop gate that opens upward
- Close off aisles without enough room for a swing gate
- Saline and corrosive environments (food industry, coastal areas, etc.)
- Close off access routes to machine rooms
- Durable and capable of withstanding heavy use
- Ergonomic design
- Can be combined with safety barriers and handrails
- For openings up to 1,500 mm



The vertically opening **DROP GATE** is ideal when space is limited but there's plenty of height.

This type of gate integrates modularly with other safety solutions from the FLEX IMPACT® range.

Together, these safety elements ensure smooth and safe traffic between different areas at your company.










BB BELT BARRIER



QUICK CLOSURE OF CRITICAL AREAS

With the FLEX IMPACT® **BELT BARRIER**, you can quickly cordon off a doorway, gate or loading bay. This prevents pedestrians from walking into the path of moving vehicles, stepping into uncovered openings or entering an area where maintenance works are being carried out.



A VISUAL BARRIER

Wherever there is a risk of danger, the **BELT BARRIER** can be easily attached to posts or walls. When these areas are safely accessible, leave the belt open to allow access. If necessary, close the belt quickly to prevent pedestrians from entering the area. Its yellow colour ensures excellent visibility, further increasing safety.

KEY FEATURES AND FUNCTIONS

- Visual barrier
- Quick and temporary closure of areas
- Highly visible thanks to the yellow/black stripes
- Durable and capable of withstanding heavy use
- Automatic retractable mechanism
- For openings up to 10 metres
- Easily mounted between walls or to a Boplan polymer post



BOPLAN IMPACT CALCULATOR

With the Boplan Impact Calculator, you can accurately calculate the required impact resistance for your safety solutions. This powerful tool is easy to use and allows you to make informed decisions with just a few clicks.

Enter specific parameters related to your workspace to instantly receive recommendations on the most suitable models and strength levels of safety barriers to avoid accidents and protect valuable assets.



IMPACT CALCULATOR

Delicative The Till GR FLUS problem in shippade level of production for year

note.

Should prior option of minimizational

This has wright and severed of year extended which of the specials

Southern

Of which has wright and evered of year extended which of the specials

Southern

Of which has wright and evered of year extended which of the specials

Southern

Of which has wright of transact

Off This extended

The Till County of Strategy

Southern study of transact

Off A RACE (MISS) the stranged production year section

STARREQUEST.

DOCK GATE



FALL PROTECTION SYSTEM AND IMPACT-RESISTANT BARRIER ARM FOR LOADING AREAS

The FLEX IMPACT® **DOCK GATE** is a safety gate with double bars that acts as fall protection at loading docks or as an impact-resistant barrier arm to close off access to a specific area.

The safety gate features an assist mechanism and ergonomic handles to the side and underneath for smooth and easy operation.

Additionally, a motorised version is also available.

PROTECTION AGAINST IMPACTS UP TO

>>> 16 kJ

THE FIRST AND ONLY ONE IN THE WORLD TO BE TESTED FOR BOTH THE BARS AND POSTS ACCORDING TO THE UNI TS 11886 STANDARD.

Thanks to the tube-in-tube structure and strong base plates, the gate provides protection against impacts up to 16 kJ, both to the bars and to the posts.

The design is very compact, ensuring no valuable space is lost. For easy assembly, the DOCK GATE features removable bars. Installation is also quick, as a DOCK GATE consists of three pre-assembled elements.




FLEX IMPACT® SAFETY GATES



Our DOCK GATES are made of EXTRILENE®, a high-quality polymer material. This material is ideal for absorbing heavy impacts.

EXTRILENE®

Crash tests have demonstrated that our DOCK GATES can withstand impacts of 16 kJ. Both to the bars and to the posts. The deformation that occurs after each collision disappears once the vehicle has gone.



KEY FEATURES AND BENEFITS



EASY INSTALLATION DUE TO MODULAR DESIGN

Our DOCK GATE is constructed using a minimum of components. Moreover, all parts are neatly concealed within the posts. Thanks to its highly compact design, the gate takes up very little space. For easy assembly and transport, the DOCK GATE features removable bars.



RESISTANT TO CHEMICALS AND UV RADIATION

Our DOCK GATES are resistant to chemicals and UV radiation. They are perfect for environments where chemicals are frequently used or where strict hygiene standards apply. Bacteria do not adhere to the polymer and it is easy to clean.



OPTIMAL VISIBILITY

The standard colour for these safety gates is yellow. Yellow draws attention and increases safety awareness.



LOW MAINTENANCE

A FLEX IMPACT® DOCK GATE requires little maintenance. With proper use, our systems last a very long time.



A REVOLUTIONARY BASE PLATE

An optimised base plate increases impact resistance.

The Base Defender protects the screws that anchor the round base plate to the floor.

This protective cover, made of durable elastomer, makes it physically impossible

to drive over the base plate and damage the screws. The Base Defender is wider than the bollard. This creates a free space and prevents crushed fingers.

STRONGER THAN EVER

The DOCK GATE features Extrilene® tubes of various lengths, bolted to the base plate. The different tubes provide optimal impact absorption through deformation and friction.





TYPICAL ENVIRONMENTS

Fall protection system and impact-resistant barrier arm for loading and unloading areas in:

- Distribution centres
- Warehouses and storage facilities
- Transport & logistics centres
- Logistics, supply chain and material handling



DOCK GATE at entrance to Aliaxis warehouse (the Netherlands). Forklifts drop off pallets in front of the barrier arm. Hand pallet trucks pick up the goods from there.



Read the full case online



MANUALLY OPERATED DOCK GATE



DG250R

10.2 kJ to the BARS AND POSTS

SAFE CLOSING MECHANISM If the bars hit an obstacle during closing, the gate reopens. WARNING LIGHT Red: in operation Green: idle CONTROL WITH DEAD MAN'S SWITCH ELECTRIC PUMP HIDDEN IN POST

DG250R AE

10.2 kJ to the bars and posts

MANUAL DOCK GATE THE STRONGEST POLYMER GATE IN THE WORLD



DG250F

16 kJ to the bars and posts





BOPLAN HQ

Muizelstraat 12 8560 Moorsele, Belgium +32 56 20 64 20 info@boplan.com

BOPLAN UK

Science Centre, Wolverhampton Science Park Glaisher Drive, Wolverhampton WV10 9RU +44 1902 82 4280 info@boplan.co.uk

BOPLAN USA

4350 W. White Road, St 300 Flowery Branch, GA 30542 +1 678-890-5906 info@boplan.us

BOPLAN DEUTSCHLAND

IHP-Nord · Babenhäuser Str. 50 63762 Großostheim +49 6026 999 51 90 info@boplan.de

BOPLAN FRANCE

617, Avenue de Bayonne 64210 Bidart +33 (0)5 35 45 75 35 info@boplan.fr

BOPLAN ESPAÑA

Pl Ramon Berenguer el Gran, 1 08002 Barcelona +34 936 81 66 88 info@boplan.es

BOPLAN NEDERLAND

Toermalijnring 100 3316 LC Dordrecht +31 85 13 07 500 info@boplan.nl

BOPLAN POLSKA

UI. Graniczna 34B / U16 41-300 Dąbrowa Górnicza +48 728-878-670 info@boplan.pl

BOPLAN ITALIA

Via Privata Maria Teresa 7 20123 Milano +32 56 20 64 20 info@boplan.it

BOPLAN JAPAN

4F Matsuoka II Building, 1-2-11 Nijyooji Minami Nara City, Nara 630-8012 +81 (0)742-93-8705 info@boplan.co.jp



For more information about our products, services and worldwide network



